

APPENDIXES

APPENDIX A: BIBLIOGRAPHY OF STUDIES INCLUDED IN BEST EVIDENCE SYNTHESIS

REFERENCES

1. Adesunikanmi AR, Oginni LM, Oyelami OA, Badru OS. Road traffic accidents to African children: assessment of severity using the injury severity score (ISS). *Injury* 2000; 31: 225–228.
2. Amacher AL, Bybee DE. Toleration of head injury by the elderly. *Neurosurgery* 1987; 20: 954–958.
3. American Academy of Pediatrics, American Academy of Family Physicians. The management of minor closed head injury in children. *Pediatrics* 1999; 104: 1407–1415.
4. Anderson V, Catroppa C, Morse S, Haritou F, Rosenfeld J. Recovery of intellectual ability following traumatic brain injury in childhood: Impact of injury severity and age at injury. *Pediatr Neurosurg* 2000; 32: 282–290.
5. Anderson VA, Catroppa C, Rosenfeld J, Haritou F, Morse SA. Recovery of memory function following traumatic brain injury in pre-school children. *Brain Inj* 2000; 14: 679–692.
6. Annegers JF, Grabow JD, Groover RV, Laws ER, Jr, Elveback LR, Kurland LT. Seizures after head trauma: a population study. *Neurology* 1980; 30: 683–689.
7. Annegers JF, Grabow JD, Kurland LT, Laws ER, Jr. The incidence, causes, and secular trends of head trauma in Olmsted County, Minnesota, 1935–1974. *Neurology* 1980; 30: 912–919.
8. Annegers JF, Hauser WA, Coan SP, Rocca WA. A population-based study of seizures after traumatic brain injuries. *N Engl J Med* 1998; 338: 20–24.
9. Arnarson EÖ, Halldórsson JG. Head trauma among children in Reykjavik. *Acta Paediatr* 1995; 84: 96–99.
10. Attewell RG, Glase K, McFadden M. Bicycle helmet efficacy: a meta-analysis. *Accid Anal Prev* 2001; 33: 345–352.
11. Barnes BC, Cooper L, Kirkendall DT, McDermott TP, Jordan BD, Garrett WE, Jr. Concussion history in elite male and female soccer players. *Am J Sports Med* 1998; 26: 433–438.
12. Barr WB, McCrear M. Sensitivity and specificity of standardized neurocognitive testing immediately following sports concussion. *J Int Neuropsychol Soc* 2001; 7: 693–702.
13. Basson MD, Guinn JE, McElligott J, Vitale R, Brown W, Fielding LP. Behavioral disturbances in children after trauma. *J Trauma* 1991; 31: 1363–1368.
14. Bazarian JJ, Wong T, Harris M, Leahey N, Mookerjee S, Dombovy M. Epidemiology and predictors of post-concussive syndrome after minor head injury in an emergency population. *Brain Inj* 1999; 13: 173–189.
15. Belongia E, Weiss H, Bowman M, Rattanassiri P. Severity and types of head trauma among adult bicycle riders. *Wis Med J* 1988; 87: 11–14.
16. Benson BW, Mohtadi NG, Rose MS, Meeuwisse WH. Head and neck injuries among ice hockey players wearing full face shields vs half face shields. *JAMA* 1999; 282: 2328–2332.
17. Benson BW, Rose MS, Meeuwisse WH. The impact of face shield use on concussions in ice hockey: a multivariate analysis. *Br J Sports Med* 2002; 36: 27–32.
18. Bijur PE, Haslum M, Golding J. Cognitive and behavioral sequelae of mild head injury in children. *Pediatrics* 1990; 86: 337–344.
19. Bijur PE, Haslum M, Golding J. Cognitive outcomes of multiple mild head injuries in children. *J Dev Behav Pediatr* 1996; 17: 143–148.
20. Binder LM, Villanueva MR, Howieson D, Moore RT. The Rey AVLT recognition memory task measures motivational impairment after mild head trauma. *Arch Clin Neuropsychol* 1993; 8: 137–147.
21. Binder LM. Assessment of malingering after mild head trauma with the Portland Digit Recognition Test [published erratum appears in *Clin Exp Neuropsychol* 1993; 15: 852]. *J Clin Exp Neuropsychol* 1993; 15: 170–182.
22. Binder LM, Rohling ML. Money matters: a meta-analytic review of the effects of financial incentives on recovery after closed-head injury. *Am J Psychiatry* 1996; 153: 7–10.
23. Bird YN, Waller AE, Marshall SW, Alsop JC, Chalmers DJ, Gerrard DF. The New Zealand Rugby Injury and Performance Project: V. Epidemiology of a Season of Rugby Injury. *Br J Sports Med* 1998; 32: 319–325.
24. Björnstig U, Ostrom M, Eriksson A, Sonntag OE. Head and face injuries in bicyclists—with special reference to possible effects of helmet use. *J Trauma* 1992; 33: 887–893.
25. Boden BP, Kirkendall DT, Garrett WE, Jr. Concussion incidence in elite college soccer players. *Am J Sports Med* 1998; 26: 238–241.
26. Bohnen N, Van Zutphen W, Twijnstra A, Wijnen G, Bongers J, Jolles J. Late outcome of mild head injury: results from a controlled postal survey. *Brain Inj* 1994; 8: 701–708.
27. Bohnen NI, Twijnstra A, Jolles J. A controlled trial with vasopressin analogue (DGAVP) on cognitive recovery immediately after head trauma. *Neurology* 1993; 43: 103–106.
28. Borczuk P. Predictors of intracranial injury in patients with mild head trauma. *Ann Emerg Med* 1995; 25: 731–736.
29. Boström L. Injury panorama and medical consequences for 1158 persons assaulted in the central part of Stockholm, Sweden. *Arch Orthop Trauma Surg* 1997; 116: 315–320.
30. Boyd CR, Usher CH, Wirth FP, Downing EF, Baker RP, Cannon CL, et al. Head injury at the southeastern Georgia Regional Trauma Center: a three-year review. *J Med Assoc Ga* 1989; 78: 341–344.
31. Braddock M, Schwartz R, Lapidus G, Banco L, Jacobs L. A Population-Based Study of Motorcycle Injury and Costs. *Ann Emerg Med* 1992; 21: 273–278.
32. Bring G, Björnstig U, Westman G. Gender patterns in minor head and neck injuries: an analysis of casualty register data. *Accid Anal Prev* 1996; 28: 359–369.
33. Briss PA, Sacks JJ, Admiss DG, Kresnow M, O'Neil J. A nationwide study of the risk of injury associated with day care center attendance. *Pediatrics* 1994; 93: 364–368.
34. Britton M, Borg J, Colliander M, Ericson A, af Geijerstam J-L, Marké L-Å, et al. Concussion; Observation at Hospital or Computer Tomography and Discharged Home? The Swedish Council on Technology Assessment in Health Care (SBU) Report 2000; Report no. 153.
35. Brown FD, Brown J, Beattie TF. Why do children vomit after minor head injury? *J Accid Emerg Med* 2000; 17: 268–271.
36. Bryant RA, Harvey AG. Relationship between acute stress disorder and posttraumatic stress disorder following mild traumatic brain injury. *Am J Psychiatry* 1998; 155: 625–629.
37. Bryant RA, Harvey AG. Postconcussive symptoms and posttraumatic stress disorder after mild traumatic brain injury. *J Nerv Ment Dis* 1999; 187: 302–305.
38. Bryant RA, Harvey AG. The influence of traumatic brain injury on acute stress disorder and post-traumatic stress disorder following motor vehicle accidents. *Brain Inj* 1999; 13: 15–22.
39. Buckley WE. Concussion injury in college football: an eight-year overview. *Athl Training* 1986; 21: 207–211.
40. Buckley WE. Concussions in college football. A multivariate analysis. *Am J Sports Med* 1988; 16: 51–56.
41. Cardoso ER, Pyper A. Pediatric head injury caused by off-road vehicle accidents. *Can J Neurol Sci* 1989; 16: 336–339.
42. Casey R, Ludwig S, McCormick MC. Minor head trauma in children: an intervention to decrease functional morbidity. *Pediatrics* 1987; 80: 159–164.
43. Cassidy JD, Carroll LJ, Côté P, Holm L, Nygren Å. Mild traumatic

- brain injury after traffic collisions: a population-based cohort study. *J Rehabil Med* 2004; (suppl 43): 15–21.
44. Centers for Disease Control and Prevention. Playground-related injuries in preschool-aged children—United States, 1983–1987. *Morb Mortal Wkly Rep* 1988; 37: 629–632.
 45. Chalmers DJ, Hume PA, Wilson BD. Trampolines in New Zealand: a decade of injuries. *Br J Sports Med* 1994; 28: 234–238.
 46. Chapman EH, Weintraub RJ, Milburn MA, Pirozzi TO, Woo E. Homeopathic treatment of mild traumatic brain injury: a randomized, double-blind, placebo-controlled clinical trial. *J Head Trauma Rehabil* 1999; 14: 521–542.
 47. Chiu WT, Yeh KH, Li YC, Gan YH, Chen HY, Hung CC. Traumatic brain injury registry in Taiwan. *Neurol Res* 1997; 19: 261–264.
 48. Chiu WT, Kuo CY, Hung CC, Chen M. The effect of the Taiwan motorcycle helmet use law on head injuries. *Am J Public Health* 2000; 90: 793–796.
 49. Cline DM, Whitley TW. Observation of head trauma patients at home: a prospective study of compliance in the rural south. *Ann Emerg Med* 1988; 17: 127–131.
 50. Crawford S, Wenden FJ, Wade DT. The Rivermead head injury follow up questionnaire: a study of a new rating scale and other measures to evaluate outcome after head injury. *J Neurol Neurosurg Psychiatry* 1996; 60: 510–514.
 51. Critchley GR, Mannion S, Meredith C. Injury rates in Shotokan karate. *Br J Sports Med* 1999; 33: 174–177.
 52. Culotta VP, Sementilli ME, Gerold K, Watts CC. Clinicopathological heterogeneity in the classification of mild head injury. *Neurosurgery* 1996; 38: 245–250.
 53. Cummings RS, Jr, Shurland AT, Prodoehl JA, Moody K, Sherk HH. Injuries in the sport of luge. *Epidemiology and analysis. Am J Sports Med* 1997; 25: 508–513.
 54. Dacey RG, Jr, Alves WM, Rimel RW, Winn HR, Jane JA. Neurosurgical complications after apparently minor head injury. Assessment of risk in a series of 610 patients. *J Neurosurg* 1986; 65: 203–210.
 55. Dannenberg AL, Gielen AC, Beilenson PL, Wilson MH, Joffe A. Bicycle helmet laws and educational campaigns: an evaluation of strategies to increase children's helmet use. *Am J Public Health* 1993; 83: 667–674.
 56. Davis RL, Mullen N, Makela M, Taylor JA, Cohen W, Rivara FP. Cranial computed tomography scans in children after minimal head injury with loss of consciousness. *Ann Emerg Med* 1994; 24: 640–645.
 57. Davis RL, Hughes M, Gubler KD, Waller PL, Rivara FP. The use of cranial CT scans in the triage of pediatric patients with mild head injury. *Pediatrics* 1995; 95: 345–349.
 58. DeLee JC, Farney WC. Incidence of injury in Texas high school football. *Am J Sports Med* 1992; 20: 575–580.
 59. Dicker G, McColl D, Sali A. The incidence and nature of Australian Rules football injuries. *Aust Fam Physician* 1986; 15: 455–459.
 60. DiGuseppi CG, Rivara FP, Koepsell TD, Polissar L. Bicycle helmet use by children. Evaluation of a community-wide helmet campaign. *JAMA* 1989; 262: 2256–2261.
 61. Dikmen SS, Machamer JE, Donovan DM, Winn HR, Temkin NR. Alcohol use before and after traumatic head injury. *Ann Emerg Med* 1995; 26: 167–176.
 62. Dikmen SS, Machamer JE, Winn HR, Temkin NR. Neuropsychological outcome at 1-year post head injury. *Neuropsychology* 1995; 9: 80–90.
 63. Dóczi T, Tarjáný J, Huszka E, Kiss J. Syndrome of inappropriate secretion of antidiuretic hormone (SIADH) after head injury. *Neurosurgery* 1982; 10: 685–688.
 64. Dunham CM, Coates S, Cooper C. Compelling evidence for discretionary brain computed tomographic imaging in those patients with mild cognitive impairment after blunt trauma. *J Trauma* 1996; 41: 679–686.
 65. Dunn LT, Patterson M, Boot DA. Head injury in the severely injured: long-term follow-up in 157 patients. *Br J Neurosurg* 2000; 14: 219–224.
 66. Durkin MS, Olsen S, Barlow B, Virella A, Connolly ES, Jr. The epidemiology of urban pediatric neurological trauma: evaluation of, and implications for, injury prevention programs. *Neurosurgery* 1998; 42: 300–310.
 67. Duus BR, Lind B, Christensen H, Nielsen OA. The role of neuroimaging in the initial management of patients with minor head injury. *Ann Emerg Med* 1994; 23: 1279–1283.
 68. Engberg A, Teasdale TW. Traumatic brain injury in children in Denmark: a national 15-year study. *Eur J Epidemiol* 1998; 14: 165–173.
 69. Fann JR, Uomoto JM, Katon WJ. Cognitive improvement with treatment of depression following mild traumatic brain injury. *Psychosomatics* 2001; 42: 48–54.
 70. Farmer MY, Singer HS, Mellits ED, Hall D, Charney E. Neurobehavioral sequelae of minor head injuries in children. *Pediatr Neurosci* 1987; 13: 304–308.
 71. Fay GC, Jaffe KM, Polissar NL, Liao S, Martin KM, Shurtleff HA, et al. Mild pediatric traumatic brain injury: a cohort study. *Arch Phys Med Rehabil* 1993; 74: 895–901.
 72. Fay GC, Jaffe KM, Polissar NL, Liao S, Rivara JB, Martin KM. Outcome of pediatric traumatic brain injury at three years: a cohort study. *Arch Phys Med Rehabil* 1994; 75: 733–741.
 73. Fee CR, Rutherford WH. A study of the effect of legal settlement on post-concussion symptoms. *Arch Emerg Med* 1988; 5: 12–17.
 74. Ferguson RJ, Mittenberg W, Barone DF, Schneider B. Postconcussion syndrome following sports-related head injury: expectation as etiology. *Neuropsychology* 1999; 13: 582–589.
 75. Fife D. Head injury with and without hospital admission: comparisons of incidence and short-term disability. *Am J Public Health* 1987; 77: 810–812.
 76. Fletcher JM, Ewing CL, Miner ME, Levin HS, Eisenberg HM. Behavioral changes after closed head injury in children. *J Consult Clin Psychol* 1990; 58: 93–98.
 77. Fortuny LA, Briggs M, Newcombe F, Ratcliff G, Thomas C. Measuring the duration of post traumatic amnesia. *J Neurol Neurosurg Psychiatry* 1980; 43: 377–379.
 78. Friedland JF, Dawson DR. Function after motor vehicle accidents: a prospective study of mild head injury and posttraumatic stress. *J Nerv Ment Dis* 2001; 189: 426–434.
 79. Garra G, Nashed AH, Capobianco L. Mild head trauma in anticoagulated patients. *Acad Emerg Med* 1999; 6: 121–124.
 80. Garraway M, Macleod D. Epidemiology of Rugby Football Injuries. *Lancet* 1995; 345: 1485–1487.
 81. Gennarelli TA, Champion HR, Copes WS, Sacco WJ. Comparison of mortality, morbidity, and severity of 59,713 head injured patients with 114,447 patients with extracranial injuries. *J Trauma* 1994; 37: 962–968.
 82. Gentilini M, Nichelli P, Schoenhuber R, Bortolotti P, Tonelli L, Falasca A, et al. Neuropsychological evaluation of mild head injury. *J Neurol Neurosurg Psychiatry* 1985; 48: 137–140.
 83. Gerberich SG, Priest JD, Boen JR, Straub CP, Maxwell RE. Concussion incidences and severity in secondary school varsity football players. *Am J Public Health* 1983; 73: 1370–1375.
 84. Gibbs N. Injuries in professional rugby league. A three-year prospective study of the South Sydney Professional Rugby League Football Club. *Am J Sports Med* 1993; 21: 696–700.
 85. Gissane C, Jennings D, Standing P. Incidence of injury in rugby league football. *Physiotherapy* 1993; 79: 305–310.
 86. Gissane C, Jennings DC, Cumine AJ, Stephenson SE, White JA. Differences in the incidence of injury between rugby league forwards and backs. *Aust J Sci Med Sport* 1997; 29: 91–94.
 87. Goh KY, Poon WS. Children's head injuries in the Vietnamese refugee population in Hong Kong. *Injury* 1995; 26: 533–536.
 88. Gómez PA, Lobato RD, Ortega JM, De La Cruz J. Mild head injury: differences in prognosis among patients with a Glasgow Coma Scale score of 13 to 15 and analysis of factors associated with abnormal CT findings. *Br J Neurosurg* 1996; 10: 453–460.
 89. Grabow JD, Offord KP, Rieder ME. The cost of head trauma in Olmsted County, Minnesota, 1970–74. *Am J Public Health* 1984; 74: 710–712.
 90. Graves AB, White E, Koepsell TD, Reifler BV, van Belle G, Larson EB, et al. The association between head trauma and Alzheimer's disease. *Am J Epidemiol* 1990; 131: 491–501.
 91. Green P, Iverson GL, Allen L. Detecting malingering in head injury

- litigation with the Word Memory Test. *Brain Inj* 1999; 13: 813–819.
92. Greenspan AI, MacKenzie EJ. Functional outcome after pediatric head injury. *Pediatrics* 1994; 94: 425–432.
 93. Greiffenstein FM, Baker JW. Comparison of premorbid and post-injury MMPI–2 profiles in late postconcussion claimants. *Clin Neuropsychol* 2001; 15: 162–170.
 94. Greiffenstein MF, Baker WJ, Gola T. Validation of malingered amnesia measures with a large clinical sample. *Psychol Assess* 1994; 6: 218–224.
 95. Greiffenstein MF, Baker WJ, Gola T. Comparison of multiple scoring methods for Rey's malingered amnesia measures. *Toxicol Lett* 1996; 11: 283–293.
 96. Greiffenstein MF, Baker WJ, Gola T. Motor dysfunction profiles in traumatic brain injury and postconcussion syndrome. *J Int Neuropsychol Soc* 1996; 2: 477–485.
 97. Gurney JG, Preston MS, McDaniel AM, Mueller BA, Holly EA. Head injury as a risk factor for brain tumors in children: results from a multicenter case-control study. *Epidemiology* 1996; 7: 485–489.
 98. Guskiewicz KM, Weaver NL, Padua DA, Garrett WE, Jr. Epidemiology of concussion in collegiate and high school football players. *Am J Sports Med* 2000; 28: 643–650.
 99. Gutman MB, Moulton RJ, Sullivan I, Hotz G, Tucker WS, Muller PJ. Risk factors predicting operable intracranial hematomas in head injury. *J Neurosurg* 1992; 77: 9–14.
 100. Hahn YS, Fuchs S, Flannery AM, Barthel MJ, McLone DG. Factors influencing posttraumatic seizures in children. *Neurosurgery* 1988; 22: 864–867.
 101. Hahn YS, McLone DG. Risk factors in the outcome of children with minor head injury. *Pediatr Neurosurg* 1993; 19: 135–142.
 102. Hanks RA, Temkin N, Machamer J, Dikmen SS. Emotional and behavioral adjustment after traumatic brain injury. *Arch Phys Med Rehabil* 1999; 80: 991–997.
 103. Hannay HJ, Levin HS. Visual Continuous Recognition Memory in normal and closed-head-injured adolescents. *J Clin Exp Neuropsychol* 1989; 11: 444–460.
 104. Harvey AG, Bryant RA. Acute stress disorder after mild traumatic brain injury. *J Nerv Ment Dis* 1998; 186: 333–337.
 105. Haydel MJ, Preston CA, Mills TJ, Luber S, Blaudeau E, DeBlieux PM. Indications for computed tomography in patients with minor head injury. *N Engl J Med* 2000; 343: 100–105.
 106. Hemphill RR, Santen SA, Kleinschmidt PE. Delayed presentation after head injury: is a computed tomography scan necessary? *Acad Emerg Med* 1999; 6: 957–960.
 107. Hendrickson SG, Becker H. Impact of a theory based intervention to increase bicycle helmet use in low income children. *Inj Prev* 1998; 4: 126–131.
 108. Hofman PA, Nelemans P, Kemerink GJ, Wilmink JT. Value of radiological diagnosis of skull fracture in the management of mild head injury: meta-analysis. *J Neurol Neurosurg Psychiatry* 2000; 68: 416–422.
 109. Holmes JF, Baier ME, Derlet RW. Failure of the Miller criteria to predict significant intracranial injury in patients with a Glasgow Coma Scale score of 14 after minor head trauma. *Acad Emerg Med* 1997; 4: 788–792.
 110. Horowitz BZ, Earle OJ. Should transient loss of consciousness in blunt head trauma be a pre-hospital trauma triage criterion? *J Emerg Med* 2001; 21: 381–386.
 111. Hsiang JN, Yeung T, Yu AL, Poon WS. High-risk mild head injury. *J Neurosurg* 1997; 87: 234–238.
 112. Hung CC, Chiu WT, Lee LS, Lin LS, Shih CJ. Risk factors predicting surgically significant intracranial hematomas in patients with head injuries. *J Formos Med Assoc* 1996; 95: 294–297.
 113. Ingebrigtsen T, Mortensen K, Romner B. The epidemiology of hospital-referred head injury in northern Norway. *Neuroepidemiology* 1998; 17: 139–146.
 114. Inskip PD, Mellemejaer L, Gridley G, Olsen JH. Incidence of intracranial tumors following hospitalization for head injuries. *Cancer Causes Control* 1998; 9: 109–116.
 115. Iverson GL, McCracken LM. 'Postconcussive' symptoms in persons with chronic pain. *Brain Inj* 1997; 11: 783–790.
 116. Iverson GL, Lovell MR, Smith S, Franzen MD. Prevalence of abnormal CT-scans following mild head injury. *Brain Inj* 2000; 14: 1057–1061.
 117. Iverson GL, Lovell MR, Smith SS. Does brief loss of consciousness affect cognitive functioning after mild head injury? *Arch Clin Neuropsychol* 2000; 15: 643–648.
 118. Jaffe KM, Fay GC, Polissar NL, Martin KM, Shurtleff H, Rivara JB, et al. Severity of pediatric traumatic brain injury and early neurobehavioral outcome: a cohort study. *Arch Phys Med Rehabil* 1992; 73: 540–547.
 119. Jaffe KM, Fay GC, Polissar NL, Martin KM, Shurtleff HA, Rivara JM, et al. Severity of pediatric traumatic brain injury and neurobehavioral recovery at one year – a cohort study. *Arch Phys Med Rehabil* 1993; 74: 587–595.
 120. Jaffe KM, Polissar NL, Fay GC, Liao S. Recovery trends over three years following pediatric traumatic brain injury. *Arch Phys Med Rehabil* 1995; 76: 17–26.
 121. Jager TE, Weiss HB, Coben JH, Pepe PE. Traumatic brain injuries evaluated in U.S. emergency departments, 1992–1994. *Acad Emerg Med* 2000; 7: 134–140.
 122. Jagoda AS, Cantrill SV, Wears RL, Valadka A, Gallagher EJ, Gottesfeld SH, et al. Clinical policy: neuroimaging and decision-making in adult mild traumatic brain injury in the acute setting. *Ann Emerg Med* 2002; 40: 231–249.
 123. Jan MM, Camfield PR, Gordon K, Camfield CS. Vomiting after mild head injury is related to migraine. *J Pediatr* 1997; 130: 134–137.
 124. Jeret JS, Mandell M, Anziska B, Lipitz M, Vilceus AP, Ware JA, et al. Clinical predictors of abnormality disclosed by computed tomography after mild head trauma. *Neurosurgery* 1993; 32: 9–15.
 125. Johansson E, Rönnkvist M, Fugl-Meyer AR. Traumatic brain injury in northern Sweden. Incidence and prevalence of long-standing impairments and disabilities. *Scand J Rehabil Med* 1991; 23: 179–185.
 126. Jordan BD, Campbell EA. Acute injuries among professional boxers in New York State: a two-year survey. *Physician Sports Med* 1988; 16: 87–91.
 127. Jørgensen U, Schmidt-Olsen S. The epidemiology of ice hockey injuries. *Br J Sports Med* 1986; 20: 7–9.
 128. Kalsbeek WD, McLaurin RL, Harris BS, Miller JD. The National Head and Spinal Cord Injury Survey: major findings. *J Neurosurg* 1980, p. (suppl S19–S31).
 129. Karlsborg M, Smed A, Jespersen H, Stephensen S, Cortsen M, Jennum P, et al. A prospective study of 39 patients with whiplash injury. *Acta Neurol Scand* 1997; 95: 65–72.
 130. Kaufmann PM, Fletcher JM, Levin HS, Miner ME, Ewing CL. Attentional disturbance after pediatric closed head injury. *J Child Neurol* 1993; 8: 348–353.
 131. Keller M, Hiltbrunner B, Dill C, Kesselring J. Reversible neuropsychological deficits after mild traumatic brain injury. *J Neurol Neurosurg Psychiatry* 2000; 68: 761–764.
 132. Kelly P, Sanson T, Strange G, Orsay E. A prospective study of the impact of helmet usage on motorcycle trauma. *Ann Emerg Med* 1991; 20: 852–856.
 133. King NS, Crawford S, Wenden FJ, Moss NE, Wade DT. The Rivermead Post Concussion Symptoms Questionnaire: a measure of symptoms commonly experienced after head injury and its reliability. *J Neurol* 1995; 242: 587–592.
 134. King NS, Crawford S, Wenden FJ, Moss NE, Wade DT. Interventions and service need following mild and moderate head injury: the Oxford Head Injury Service. *Clin Rehabil* 1997; 11: 13–27.
 135. King NS, Crawford S, Wenden FJ, Moss NE, Wade DT, Caldwell FE. Measurement of post-traumatic amnesia: how reliable is it? *J Neurol Neurosurg Psychiatry* 1997; 62: 38–42.
 136. Kinsella G, Ong B, Murtagh D, Prior M, Sawyer M. The role of the family for behavioral outcome in children and adolescents following traumatic brain injury. *J Consult Clin Psychol* 1999; 67: 116–123.
 137. Klassen TP, Reed MH, Stiell IG, Nijssen-Jordan C, Tenenbein M, Joubert G, et al. Variation in utilization of computed tomography scanning for the investigation of minor head trauma in children: a Canadian experience. *Acad Emerg Med* 2000; 7: 739–744.
 138. Knuckey NW, Gelbard S, Epstein MH. The management of

- "asymptomatic" epidural hematomas. A prospective study. *J Neurosurg* 1989; 70: 392–396.
139. Koh JO, de Freitas T, Watkinson EJ. Injuries at the 14th World Taekwondo Championships in 1999. *Int J Appl Sports Sci* 2001; 13: 33–48.
 140. Koh JO, Cassidy JD, Watkinson EJ. Incidence of concussion in contact sports: a systematic review of the evidence. *Brain Inj*. 2003; 17: 901–907.
 141. Koonsman M, Dunn E, Hughes K, Kendrick B, Moody J. How much monitoring is needed for basilar skull fractures? *Am J Surg* 1992; 164: 487–490.
 142. Kraus JF, Black MA, Hessol N, Ley P, Rokaw W, Sullivan C, et al. The incidence of acute brain injury and serious impairment in a defined population. *Am J Epidemiol* 1984; 119: 186–201.
 143. Kraus JF, Fife D. Incidence, external causes, and outcomes of work-related brain injuries in males. *J Occup Med* 1985; 27: 757–760.
 144. Kraus JF, Fife D, Cox P, Ramstein K, Conroy C. Incidence, severity, and external causes of pediatric brain injury. *Am J Dis Child* 1986; 140: 687–693.
 145. Kraus JF, Fife D, Conroy C. Pediatric brain injuries: the nature, clinical course, and early outcomes in a defined United States' population. *Pediatrics* 1987; 79: 501–507.
 146. Kraus JF, Fife D, Conroy C. Incidence, severity, and outcomes of brain injuries involving bicycles. *Am J Public Health* 1987; 77: 76–78.
 147. Kraus JF, Nourjah P. The epidemiology of mild, uncomplicated brain injury. *J Trauma* 1988; 28: 1637–1643.
 148. Kraus JF, Morgenstern H, Fife D, Conroy C, Nourjah P. Blood alcohol tests, prevalence of involvement, and outcomes following brain injury. *Am J Public Health* 1989; 79: 294–299.
 149. Kraus JF, Peek C, McArthur DL, Williams A. The effect of the 1992 California motorcycle helmet use law on motorcycle crash fatalities and injuries. *JAMA* 1994; 272: 1506–1511.
 150. Kraus JF, Peek C. The impact of two related prevention strategies on head injury reduction among nonfatally injured motorcycle riders, California, 1991–1993. *J Neurotrauma* 1995; 12: 873–881.
 151. Kyle JM, Elkins G, Billips LG, Forbes SL. Common injury evaluation and rehabilitation deficiencies in interscholastic football. *W V Med J* 1988; 84: 283–286.
 152. Langley JD, Silva PA. Injuries in the eighth and ninth years of life. *Aust Paediatr J* 1985; 21: 51–55.
 153. Lazar L, Erez I, Gutermacher M, Katz S. Brain concussion produces transient hypokalemia in children. *J Pediatr Surg* 1997; 32: 88–90.
 154. Lee AJ, Garraway WM. Epidemiological comparison of injuries in school and senior club rugby. *Br J Sports Med* 1996; 30: 213–217.
 155. Lee ST, Lui TN. Early seizures after mild closed head injury. *J Neurosurg* 1992; 76: 435–439.
 156. Lee ST, Liu TN, Wong CW, Yeh YS, Tzaan WC. Relative risk of deterioration after mild closed head injury. *Acta Neurochir Wien* 1995; 135: 136–140.
 157. Levi L, Guilburd JN, Linn S, Feinsod M. The association between skull fracture, intracranial pathology and outcome in pediatric head injury. *Br J Neurosurg* 1991; 5: 617–625.
 158. Li G, Baker SP, Fowler C, DiScala C. Factors related to the presence of head injury in bicycle-related pediatric trauma patients. *J Trauma* 1995; 38: 871–875.
 159. Li J, Brown J, Levine M. Mild head injury, anticoagulants, and risk of intracranial injury. *Lancet* 2001; 357: 771–772.
 160. Lidvall HF, Linderöth B, Norlin B. Causes of the post-concussional syndrome: IX. Psychological tests. *Acta Neurol Scand* 1974; 50 (suppl 56): 64–71.
 161. Lidvall H, Linderöth B, Norlin B. Causes of the post-concussional syndrome: III–V. Principal features of the investigation. *Acta Neurol Scand* 1974; 50 (suppl 56): 19–41.
 162. Light R, Asarnow R, Satz P, Zaucha K, McCleary C, Lewis R. Mild closed-head injury in children and adolescents: behavior problems and academic outcomes. *J Consult Clin Psychol* 1998; 66: 1023–1029.
 163. Lindenfeld TN, Schmitt DJ, Hendy MP, Mangine RE, Noyes FR. Incidence of injury in indoor soccer. *Am J Sports Med* 1994; 22: 364–371.
 164. Linn S, Smith D, Sheps S. Epidemiology of bicycle injury, head injury, and helmet use among children in British Columbia: a five year descriptive study. *Canadian Hospitals Injury, Reporting and Prevention Program (CHIRPP)*. *Inj Prev* 1998; 4: 122–125.
 165. Livingston DH, Lavery RF, Passannante MR, Skurnick JH, Baker S, Fabian TC, et al. Emergency department discharge of patients with a negative cranial computed tomography scan after minimal head injury. *Ann Surg* 2000; 232: 126–132.
 166. Lovell MR, Iverson GL, Collins MW, McKeag D, Maroon JC. Does loss of consciousness predict neuropsychological decrements after concussion? *Clin J Sport Med* 1999; 9: 193–198.
 167. Lowdon IM, Briggs M, Cockin J. Post-concussional symptoms following minor head injury. *Injury* 1989; 20: 193–194.
 168. Luerssen TG, Klauber MR, Marshall LF. Outcome from head injury related to patient's age. A longitudinal prospective study of adult and pediatric head injury. *J Neurosurg* 1988; 68: 409–416.
 169. Lustig AP, Tompkins C. An examination of severity classification measures and subject criteria used for studies on mild pediatric traumatic brain injury. *J Med Speech-Lang Pa* 2002; 6: 13–25.
 170. Macciocchi SN, Barth JT, Alves W, Rimel RW, Jane JA. Neuropsychological functioning and recovery after mild head injury in collegiate athletes. *Neurosurgery* 1996; 39: 510–514.
 171. MacKenzie EJ, Edelstein SL, Flynn JP. Hospitalized head-injured patients in Maryland: incidence and severity of injuries. *Md Med J* 1989; 38: 725–732.
 172. Macpherson AK, To TM, Macarthur C, Chipman ML, Wright JG, Parkin PC. Impact of mandatory helmet legislation on bicycle-related head injuries in children: a population-based study. *Pediatrics* 2002; 110: e60.
 173. Maddocks D, Saling M. Neuropsychological deficits following concussion. *Brain Inj* 1996; 10: 99–103.
 174. Maddocks DL, Dicker GD, Saling MM. The assessment of orientation following concussion in athletes. *Clin J Sport Med* 1995; 5: 32–35.
 175. Maddocks DL, Saling M, Dicker GD. A note on normative data for a test sensitive to concussion in Australian Rules footballers. *Aust Psychol* 1995; 30: 125–127.
 176. Masson F, Maurette P, Salmi LR, Dartigues JF, Vecsey J, Destaillets JM, et al. Prevalence of impairments 5 years after a head injury, and their relationship with disabilities and outcome. *Brain Inj* 1996; 10: 487–497.
 177. Masters SJ, McClean PM, Arcarese JS, Brown RF, Campbell JA, Freed HA, et al. Skull x-ray examinations after head trauma. Recommendations by a multidisciplinary panel and validation study. *N Engl J Med* 1987; 316: 84–91.
 178. Matser EJ, Kessels AG, Lezak MD, Jordan BD, Troost J. Neuropsychological impairment in amateur soccer players. *JAMA* 1999; 282: 971–973.
 179. Matser JT, Kessels AG, Lezak MD, Troost J. A dose-response relation of headers and concussions with cognitive impairment in professional soccer players. *J Clin Exp Neuropsychol* 2001; 23: 770–774.
 180. Mätzsch T, Karlsson B. Moped and motorcycle accidents – similarities and discrepancies. *J Trauma* 1986; 26: 538–543.
 181. McCarroll JE, Zych KA. Descriptive epidemiologic survey of head injury in the Army: 1983 hospitalized cases. *Neuroepidemiology* 1989; 8: 48–52.
 182. McCarroll JE, Gunderson C. 5-year study of incidence rates of hospitalized cases of head injuries in the US Army. *Neuroepidemiology* 1990; 9: 296–305.
 183. McCrory PR, Berkovic SF. Second impact syndrome. *Neurology* 1998; 50: 677–683.
 184. McCrory PR, Ariens T, Berkovic SF. The nature and duration of acute concussive symptoms in Australian football. *Clin J Sport Med* 2000; 10: 235–238.
 185. McCrory PR, Berkovic SF. Video analysis of acute motor and convulsive manifestations in sport-related concussion. *Neurology* 2000; 54: 1488–1491.
 186. McDermott FT, Lane JC, Brazenor GA, Debney EA. The effectiveness of bicyclist helmets: a study of 1710 casualties. *J Trauma* 1993; 34: 834–844.
 187. McGhee CN, Gullan RW, Miller JD. Horse riding and head injury:

- admissions to a regional head injury unit. *Br J Neurosurg* 1987; 1: 131–135.
188. McGhee CN, Gullan RW, Miller JD. Motorcycling and head injury: admissions to a regional head injury unit. *Br J Neurosurg* 1987; 1: 271–275.
 189. McMahon KA, Nolan T, Bennett CM, Carlin JB. Australian Rules football injuries in children and adolescents. *Med J Aust* 1993; 159: 301–306.
 190. McMillan TM, Glucksman EE. The neuropsychology of moderate head injury. *J Neurol Neurosurg Psychiatry* 1987; 50: 393–397.
 191. Meeuwisse WH, Hagel BE, Mohtadi NGH, Butterwick DJ, Fick GH. The distribution of injuries in men's Canada West university football: a 5-year analysis. *Am J Sports Med* 2000; 28: 516–523.
 192. Mehta KM, Ott A, Kalmijn S, Sooter AJ, van Duijn CM, Hofman A, et al. Head trauma and risk of dementia and Alzheimer's disease: the Rotterdam Study. *Neurology* 1999; 53: 1959–1962.
 193. Mendelow AD, Campbell DA, Jeffrey RR, Miller JD, Hesselton C, Bryden J, et al. Admission after mild head injury: benefits and costs. *BMJ* 1982; 285: 1530–1532.
 194. Mendelow AD, Teasdale G, Jennett B, Bryden J, Hesselton C, Murray G. Risks of intracranial haematoma in head injured adults. *BMJ* 1983; 287: 1173–1176.
 195. Miller EC, Derlet RW, Kinser D. Minor head trauma: is computed tomography always necessary? *Ann Emerg Med* 1996; 27: 290–294.
 196. Miller EC, Holmes JF, Derlet RW. Utilizing clinical factors to reduce head CT scan ordering for minor head trauma patients. *J Emerg Med* 1997; 15: 453–457.
 197. Miller JD, Jones PA. The work of a regional head injury service. *Lancet* 1985; 1: 1141–1144.
 198. Miller JD, Murray LS, Teasdale GM. Development of a traumatic intracranial hematoma after a "minor" head injury. *Neurosurgery* 1990; 27: 669–673.
 199. Miller LJ, Donders J. Subjective symptomatology after traumatic head injury. *Brain Inj* 2001; 15: 297–304.
 200. Millis SR, Putnam SH, Adams KM, Ricker JH. The California Verbal Learning Test in the detection of incomplete effort in neuropsychological evaluation. *Psychol Assess* 1995; 7: 463–471.
 201. Millis SR, Ross SR, Ricker JH. Detection of incomplete effort on the Wechsler Adult Intelligence Scale-Revised: a cross-validation. *J Clin Exp Neuropsychol* 1998; 20: 167–173.
 202. Mittenberg W, Tremont G, Zielinski RE, Fichera S, Rayls KR. Cognitive-behavioral prevention of postconcussion syndrome. *Arch Clin Neuropsychol* 1996; 11: 139–145.
 203. Mittl RL, Grossman RI, Hiehle JF, Hurst RW, Kauder DR, Gennarelli TA, et al. Prevalence of MR evidence of diffuse axonal injury in patients with mild head injury and normal head CT findings. *Am J Neuroradiol* 1994; 15: 1583–1589.
 204. Moss NE, Wade DT. Admission after head injury: how many occur and how many are recorded? *Injury* 1996; 27: 159–161.
 205. Myers PT. Injuries presenting from rugby union football. *Med J Aust* 1980; 2: 17–20.
 206. Nagy KK, Joseph KT, Krosner SM, Roberts RR, Leslie CL, Dufty K, et al. The utility of head computed tomography after minimal head injury. *J Trauma* 1999; 46: 268–270.
 207. Nee PA, Hadfield JM, Yates DW. Biomechanical factors in patient selection for radiography after head injury. *Injury* 1993; 24: 471–475.
 208. Nee PA, Hadfield JM, Yates DW, Faragher EB. Significance of vomiting after head injury. *J Neurol Neurosurg Psychiatry* 1999; 66: 470–473.
 209. Nell V, Brown DS. Epidemiology of traumatic brain injury in Johannesburg—II. Morbidity, mortality and etiology. *Soc Sci Med* 1991; 33: 289–296.
 210. Nestvold K, Lunder T, Blikra G, Lonnum A. Head injuries during one year in a central hospital in Norway: a prospective study. Epidemiologic features. *Neuroepidemiology* 1988; 7: 134–144.
 211. Nygren C, Adami J, Ye W, Bellocco R, af Geijerstam J-L, Borg J, et al. Primary brain tumors following traumatic brain injury – a population-based cohort study in Sweden. *Cancer Causes Control* 2001; 12: 733–737.
 212. Nygren C, Bellocco R, af Geijerstam J-L, Borg J, Adami J. Delayed, intracranial complications after concussion: a population-based nested case-control study in Sweden. Unpublished Work 2002.
 213. O'Rourke NA, Costello F, Yelland JD, Stuart GG. Head injuries to children riding bicycles. *Med J Aust* 1987; 146: 619–621.
 214. Olsnes BT. Neurobehavioral findings in whiplash patients with long-lasting symptoms. *Acta Neurol Scand* 1989; 80: 584–588.
 215. Ommaya AK, Salazar AM, Dannenberg AL, Chervinsky AB, Schwab K. Outcome after traumatic brain injury in the U.S. military medical system. *J Trauma* 1996; 41: 972–975.
 216. Ommaya AK, Dannenberg AL, Salazar AM. Causation, incidence, and costs of traumatic brain injury in the U.S. military medical system. *J Trauma* 1996; 40: 211–217.
 217. Ong L, Selladurai BM, Dhillon MK, Atan M, Lye MS. The prognostic value of the Glasgow Coma Scale, hypoxia and computerised tomography in outcome prediction of pediatric head injury. *Pediatr Neurosurg* 1996; 24: 285–291.
 218. Orsay E, Holden JA, Williams J, Lumpkin JR. Motorcycle trauma in the state of Illinois: analysis of the Illinois Department of Public Health Trauma Registry. *Ann Emerg Med* 1995; 26: 455–460.
 219. Osberg JS, Di Scala C. Morbidity among pediatric motor vehicle crash victims: the effectiveness of seat belts. *Am J Public Health* 1992; 82: 422–425.
 220. Paniak C, Reynolds S, Toller-Lobe G, Melnyk A, Nagy J, Schmidt D. A longitudinal study of the relationship between financial compensation and symptoms after treated mild traumatic brain injury. *J Clin Exp Neuropsychol* 2002; 24: 187–193.
 221. Paniak C, Reynolds S, Phillips K, Toller-Lobe G, Melnyk A, Nagy J. Patient complaints within 1 month of mild traumatic brain injury: a controlled study. *Arch Clin Neuropsychol* 2002; 17: 319–334.
 222. Paniak C, Toller-Lobe G, Durand A, Nagy J. A randomized trial of two treatments for mild traumatic brain injury. *Brain Inj* 1998; 12: 1011–1023.
 223. Paniak C, MacDonald J, Toller-Lobe G, Durand A, Nagy J. A preliminary normative profile of mild traumatic brain injury diagnostic criteria. *J Clin Exp Neuropsychol* 1998; 20: 852–855.
 224. Paniak C, Phillips K, Toller-Lobe G, Durand A, Nagy J. Sensitivity of three recent questionnaires to mild traumatic brain injury-related effects. *J Head Trauma Rehabil* 1999; 14: 211–219.
 225. Paniak C, Toller-Lobe G, Reynolds S, Melnyk A, Nagy J. A randomized trial of two treatments for mild traumatic brain injury: 1 year follow-up. *Brain Inj* 2000; 14: 219–226.
 226. Paniak C, Toller-Lobe G, Melnyk A, Nagy J. Prediction of vocational status three to four months after treated mild traumatic brain injury. *J Musculoskelet Pain* 2000; 8: 193–200.
 227. Parkin PC, Spence LJ, Hu X, Kranz KE, Shortt LG, Wesson DE. Evaluation of a promotional strategy to increase bicycle helmet use by children. *Pediatrics* 1993; 91: 772–777.
 228. Peek-Asa C, Kraus JF. Estimates of injury impairment after acute traumatic injury in motorcycle crashes before and after passage of a mandatory helmet use law. *Ann Emerg Med* 1997; 29: 630–636.
 229. Pelletier RL, Montelpare WJ, Stark RM. Intercollegiate ice hockey injuries: a case for uniform definitions and reports. *Am J Sports Med* 1993; 21: 78–81.
 230. Peloso PM, von Holst H, Borg J. Mild traumatic brain injuries presenting to hospitals during the years 1987 to 2000. *J Rehabil Med* 2004; (suppl 43): 22–27.
 231. Pentland B, Jones PA, Roy CW, Miller JD. Head injury in the elderly. *Age Ageing* 1986; 15: 193–202.
 232. Phuenpathom N, Tiensuwan M, Ratanalert S, Saeheng S, Sripairojkul B. The changing pattern of head injury in Thailand. *J Clin Neurosci* 2000; 7: 223–225.
 233. Pieter W, Lufting R. Injuries at the 1991 taekwondo World Championships. *J Sports Traumatol Rel Res* 1994; 16: 49–57.
 234. Pieter W, van Ryssegem G, Lufting R. Injury situation and injury mechanism at the 1993 European Taekwondo Cup. *J Hum Movement Stud* 1995; 28: 1–24.
 235. Pieter W, Zemper ED. Incidence of reported cerebral concussion in adult taekwondo athletes. *J R Soc Health* 1998; 118: 272–279.
 236. Pieter W, Zemper ED. Head and neck injuries in young taekwondo athletes. *J Sports Med Phys Fitness* 1999; 39: 147–153.
 237. Polissar NL, Fay GC, Jaffe KM, Liao S, Martin KM, Shurtleff HA, et al. Mild pediatric traumatic brain injury: adjusting significance levels for multiple comparisons. *Brain Inj* 1994; 8: 249–263.

238. Ponsford J, Willmott C, Rothwell A, Cameron P, Ayton G, Nelms R, et al. Cognitive and behavioral outcome following mild traumatic head injury in children. *J Head Trauma Rehabil* 1999; 14: 360–372.
239. Ponsford J, Willmott C, Rothwell A, Cameron P, Kelly AM, Nelms R, et al. Factors influencing outcome following mild traumatic brain injury in adults. *J Int Neuropsychol Soc* 2000; 6: 568–579.
240. Porter M, O'Brien M. Incidence and severity of injuries resulting from amateur boxing in Ireland. *Clin J Sport Med* 1996; 6: 97–101.
241. Powell JW, Barber-Foss KD. Traumatic brain injury in high school athletes. *JAMA* 1999; 282: 958–963.
242. Radanov BP, Di Stefano G, Schnidrig A, Sturzenegger M, Augustiny KF. Cognitive functioning after common whiplash: a controlled follow-up study. *Arch Neurol* 1993; 50: 87–91.
243. Radanov BP, Bicik I, Dvorak J, Antinnes J, von Schulthess GK, Buck A. Relation between neuropsychological and neuroimaging findings in patients with late whiplash syndrome. *J Neurol Neurosurg Psychiatry* 1999; 66: 485–489.
244. Relander M, Troupp H, af Björkstén G. Controlled trial of treatment for cerebral concussion. *BMJ* 2002; 4: 777–779.
245. Richardson JT, Snape W. The effects of closed head injury upon human memory: an experimental analysis. *Cognit Neuropsychol* 1984; 1: 217–231.
246. Richardson JT, Barry C. The effects on minor closed head injury upon human memory: further evidence on the role of mental imagery. *Cognit Neuropsychol* 1985; 2: 149–168.
247. Riemann BL, Guskiewicz KM. Effects of mild head injury on postural stability as measured through clinical balance testing. *J Athl Training* 2002; 35: 19–25.
248. Ritchie PD, Cameron PA, Ugoni AM, Kaye AH. A study of the functional outcome and mortality in elderly patients with head injuries. *J Clin Neurosci* 2000; 7: 301–304.
249. Rivara FP, Bergman AB, LoGerfo JP, Weiss NS. Epidemiology of childhood injuries: II. Sex differences in injury rates. *Am J Dis Child* 1982; 136: 502–506.
250. Rivara FP. Childhood injuries. III: epidemiology of non-motor vehicle head trauma. *Dev Med Child Neurol* 1984; 26: 81–87.
251. Rivara JB, Fay GC, Jaffe KM, Polissar NL, Shurtleff HA, Martin KM. Predictors of family functioning one year following traumatic brain injury in children. *Arch Phys Med Rehabil* 1992; 73: 899–910.
252. Rivara JB, Jaffe KM, Fay GC, Polissar NL, Martin KM, Shurtleff HA, et al. Family functioning and injury severity as predictors of child functioning one year following traumatic brain injury. *Arch Phys Med Rehabil* 1993; 74: 1047–1055.
253. Rivara JM, Jaffe KM, Polissar NL, Fay GC, Liao S, Martin KM. Predictors of family functioning and change 3 years after traumatic brain injury in children. *Arch Phys Med Rehabil* 1996; 77: 754–764.
254. Roberts WO, Brust JD, Leonard B. Youth ice hockey tournament injuries: rates and patterns compared to season play. *Med Sci Sports Exerc* 1999; 31: 46–51.
255. Rothoerl RD, Woertgen C, Holzschuh M, Metz C, Brawanski A. S-100 serum levels after minor and major head injury. *J Trauma* 1998; 45: 765–767.
256. Ruijs MB, Keyser A, Gabreëls FJ. Assessment of post-traumatic amnesia in young children. *Dev Med Child Neurol* 1992; 34: 885–892.
257. Rutherford W, Merrett JD, McDonald JR. Symptoms at one year following concussion from minor head injuries. *Injury* 1979; 10: 225–230.
258. Rutherford W, Merrett JD, McDonald JR. Sequelae of concussion caused by minor head injuries. *Lancet* 2002; 1: 1–4.
259. Sacks JJ, Holmgren P, Smith SM, Sosin DM. Bicycle-associated head injuries and deaths in the United States from 1984 through 1988. How many are preventable? *JAMA* 1991; 266: 3016–3018.
260. Sahlin Y. Alpine skiing injuries. *Br J Sports Med* 1989; 23: 241–244.
261. Saunders CE, Cota R, Barton CA. Reliability of home observation for victims of mild closed-head injury. *Ann Emerg Med* 1986; 15: 160–163.
262. Schofield PW, Tang M, Marder K, Bell K, Dooneief G, Chun M, et al. Alzheimer's disease after remote head injury: an incidence study. *J Neurol Neurosurg Psychiatry* 1997; 62: 119–124.
263. Schutzman SA, Barnes P, Duhaime AC, Greenes D, Homer C, Jaffe D, et al. Evaluation and management of children younger than two years old with apparently minor head trauma: proposed guidelines. *Pediatrics* 2001; 107: 983–993.
264. Selladurai BM, Vickneswaran M, Duraisamy S, Atan M. Coagulopathy in acute head injury – a study of its role as a prognostic indicator. *Br J Neurosurg* 1997; 11: 398–404.
265. Servadei F, Ciucci G, Piazza G, Bianchedi G, Rebucci G, Gaist G, et al. A prospective clinical and epidemiological study of head injuries in northern Italy: the Comune of Ravenna. *Ital J Neurol Sci* 1988; 9: 449–457.
266. Servadei F, Ciucci G, Morichetti A, Pagano F, Burzi M, Staffa G, et al. Skull fracture as a factor of increased risk in minor head injuries. Indication for a broader use of cerebral computed tomography scanning. *Surg Neurol* 1988; 30: 364–369.
267. Servadei F, Teasdale G, Merry G. Neurotraumatology Committee of the World Federation of Neurosurgical Societies. Defining acute mild head injury in adults: a proposal based on prognostic factors, diagnosis, and management. *J Neurotrauma* 2001; 18: 657–664.
268. Seward H, Orchard J, Hazard H, Collinson D. Football injuries in Australia at the elite level. *Med J Aust* 1993; 159: 298–301.
269. Shackford SR, Wald SL, Ross SE, Cogbill TH, Hoyt DB, Morris JA, et al. The clinical utility of computed tomographic scanning and neurologic examination in the management of patients with minor head injuries. *J Trauma* 1992; 33: 385–394.
270. Shafi S, Gilbert JC, Loghmanee F, Allen JE, Caty MG, Glick PL, et al. Impact of bicycle helmet safety legislation on children admitted to a regional pediatric trauma center. *J Pediatr Surg* 1998; 33: 317–321.
271. Simon B, Letourneau P, Vitorino E, McCall J. Pediatric minor head trauma: indications for computed tomographic scanning revisited. *J Trauma* 2001; 51: 231–237.
272. Smed A. Cognitive function and distress after common whiplash injury. *Acta Neurol Scand* 1997; 95: 73–80.
273. Smith SM, Middaugh JP. Injuries associated with three-wheeled, all-terrain vehicles, Alaska, 1983 and 1984. *JAMA* 1986; 255: 2454–2458.
274. Snook JW, Minderhoud JM, Wilmsink JT. Delayed deterioration following mild head injury in children. *Brain* 2002; 107: 15–36.
275. Sosin DM, Sniezek JE, Thurman DJ. Incidence of mild and moderate brain injury in the United States, 1991. *Brain Inj* 1996; 10: 47–54.
276. Stein SC, Ross SE. The value of computed tomographic scans in patients with low-risk head injuries. *Neurosurgery* 1990; 26: 638–640.
277. Stein SC, Ross SE. Moderate head injury: a guide to initial management. *J Neurosurg* 1992; 77: 562–564.
278. Stephenson S, Gissane C, Jennings D. Injury in rugby league: a four year prospective survey. *Br J Sports Med* 1996; 30: 331–334.
279. Stiell IG, Wells GA, Vandemheen K, Laupacis A, Brison R, Eisenhauer MA, et al. Variation in ED use of computed tomography for patients with minor head injury. *Ann Emerg Med* 1997; 30: 14–22.
280. Stiell IG, Wells GA, Vandemheen K, Clement C, Lesiuk H, Laupacis A, et al. The Canadian CT Head Rule for patients with minor head injury. *Lancet* 2001; 357: 1391–1396.
281. Stricevic MV, Patel MR, Okazaki T, Swain BK. Karate: historical perspective and injuries sustained in national and international tournament competitions. *Am J Sports Med* 1983; 11: 320–324.
282. Suhr J, Tranel D, Wefel J, Barrash J. Memory performance after head injury: contributions of malingering, litigation status, psychological factors, and medication use. *J Clin Exp Neuropsychol* 1997; 19: 500–514.
283. Suhr JA, Boyer D. Use of the Wisconsin Card Sorting Test in the detection of malingering in student simulator and patient samples. *J Clin Exp Neuropsychol* 1999; 21: 701–708.
284. Tate RL, McDonald S, Lulham JM. Incidence of hospital-treated traumatic brain injury in an Australian community. *Aust N Z J Public Health* 1998; 22: 419–423.
285. Teasdale GM, Murray G, Anderson E, Medelow AD, MacMillan R, Jennett B, et al. Risks of acute traumatic intracranial haematoma in

- children and adults: implications for managing head injuries. *BMJ* 1990; 300: 363–367.
286. Teasdale TW, Engberg A. Duration of cognitive dysfunction after concussion, and cognitive dysfunction as a risk factor: a population study of young men. *BMJ* 1997; 315: 569–572.
 287. Teasdale TW, Engberg AW. Disability pensions in relation to traumatic brain injury: a population study. *Brain Inj* 2000; 14: 363–372.
 288. Tegner Y, Lorentzon R. Concussion among Swedish elite ice hockey players. *Br J Sports Med* 1996; 30: 251–255.
 289. The Royal College of Radiologists. Costs and benefits of skull radiography for head injury. *Lancet*; 2: 791–795.
 290. Thomas S, Acton C, Nixon J, Battistutta D, Pitt WR, Clark R. Effectiveness of bicycle helmets in preventing head injury in children: case-control study. *BMJ* 1994; 308: 173–176.
 291. Thompson RS, Rivara FP, Thompson DC. A case-control study of the effectiveness of bicycle safety helmets. *N Engl J Med* 1989; 320: 1361–1367.
 292. Thornhill S, Teasdale GM, Murray GD, McEwen J, Roy CW, Penny KI. Disability in young people and adults one year after head injury: prospective cohort study. *BMJ* 2000; 320: 1631–1635.
 293. Thurman D, Guerrero J. Trends in hospitalization associated with traumatic brain injury. *JAMA* 1999; 282: 954–957.
 294. Thurman DJ, Jeppson L, Burnett CL, Beaudoin DE, Rheingerger MM, Sniezek JE. Surveillance of traumatic brain injuries in Utah. *West J Med* 1996; 165: 192–196.
 295. Tiret L, Hausherr E, Thicoipe M, Garros B, Maurette P, Castel JP, et al. The epidemiology of head trauma in Aquitaine (France), 1986: a community-based study of hospital admissions and deaths. *Int J Epidemiol* 1990; 19: 133–140.
 296. Tsai YJ, Wang JD, Huang WF. Case-control study of the effectiveness of different types of helmets for the prevention of head injuries among motorcycle riders in Taipei, Taiwan. *Am J Epidemiol* 1995; 142: 974–981.
 297. Vázquez-Barquero A, Vázquez-Barquero JL, Austin O, Pascual J, Gaité L, Herrera S. The epidemiology of head injury in Cantabria. *Eur J Epidemiol* 1992; 8: 832–837.
 298. Viola L, Zotta D, Martino V, Barbato R, Schisano G, Unterberg A, et al. Minor head injuries: one year experience according to the new Italian guideline. *Acta Neurochir Wien* 2000; 142: 1281–1285.
 299. Voss M, Knottenbelt JD, Peden MM. Patients who reattend after head injury: a high risk group. *BMJ* 1995; 311: 1395–1398.
 300. Wade DT, Crawford S, Wenden FJ, King NS, Moss NE. Does routine follow up after head injury help? A randomised controlled trial. *J Neurol Neurosurg Psychiatry* 1997; 62: 478–484.
 301. Wade DT, King NS, Wenden FJ, Crawford S, Caldwell FE. Routine follow up after head injury: a second randomised controlled trial. *J Neurol Neurosurg Psychiatry* 1998; 65: 177–183.
 302. Wang MY, Griffith P, Sterling J, McComb JG, Levy ML. A prospective population-based study of pediatric trauma patients with mild alterations in consciousness (Glasgow Coma Scale score of 13–14). *Neurosurgery* 2000; 46: 1093–1099.
 303. Weiss BD. Trends in bicycle helmet use by children: 1985 to 1990. *Pediatrics* 1992; 89: 78–80.
 304. Welch MJ, Sitler M, Kroeten H. Boxing injuries from an instructional program. *Physician SportsMed* 1986; 14: 81–89.
 305. Whitman S, Coonley HR, Desai BT. Comparative head trauma experiences in two socioeconomically different Chicago-area communities: a population study. *Am J Epidemiol* 1984; 119: 570–580.
 306. Williams DH, Levin HS, Eisenberg HM. Mild head injury classification. *Neurosurgery* 1990; 27: 422–428.
 307. Wilson JTL, Pettigrew LEL, Teasdale GM. Structured interviews for the Glasgow Outcome Scale and the Extended Glasgow Outcome Scale: guidelines for their use. *J Neurotrauma* 1998; 15: 573–597.
 308. Wright JR, Jr, Hixson EG, Rand JJ. Injury patterns in nordic ski jumpers. A retrospective analysis of injuries occurring at the Intervale Ski Jump Complex from 1980 to 1985. *Am J Sports Med* 1986; 14: 393–397.
 309. Wrightson P, McGinn V, Gronwall D. Mild head injury in preschool children: evidence that it can be associated with a persisting cognitive defect. *J Neurol Neurosurg Psychiatry* 1995; 59: 375–380.
 310. Wrightson P, Gronwall D. Mild head injury in New Zealand: incidence of injury and persisting symptoms. *N Z Med J* 1998; 111: 99–101.
 311. Yorkston KM, Jaffe KM, Polissar NL, Liao S, Fay GC. Written language production and neuropsychological function in children with traumatic brain injury. *Arch Phys Med Rehabil* 1997; 78: 1096–1102.
 312. Yorkston KM, Jaffe KM, Liao S, Polissar NL. Recovery of written language production in children with traumatic brain injury: outcomes at one year. *Aphasiology* 1999; 13: 691–700.
 313. Zemper ED. Analysis of cerebral concussion frequency with the most commonly used models of football helmets. *J Athl Training* 1994; 29: 44–50.

APPENDIX B: SUPPLEMENTARY BIBLIOGRAPHY

REFERENCES

1. Google [cited 2003 July 6]. Available from: URL: <http://www.google.com/>.
2. Guidelines for initial management after head injury in adults. Suggestions from a group of neurosurgeons. *BMJ* 1984; 288: 983–985.
3. Levin HS, Eisenberg HM, Benton AL, eds. *Mild head injury*. Oxford: Oxford University Press; 1989.
4. Proceedings: Mild Brain Injury in Sports Summit. 1994 April 16–18 Washington DC, Dallas: National Athletic Trainers' Association Research and Education Foundation; 1994.
5. Chalmers L, Altman DG, eds. *Systematic reviews*. London: BMJ Publishing; 1995.
6. SAS [computer program]. Version 6.12. Cary (NC): SAS Institute; 1996.
7. SPSS [computer program]. Version 10.0. Chicago: SPSS; 1999.
8. Stata 7 [computer program]. College Station (TX): Stata Corporation; 2002.
9. StatsDirect [computer program]. Version 1.9.15. Cheshire (UK): StatsDirect Limited; 2002.
10. Stata/SE [computer program]. Version 8. College Station (TX): Stata Corporation; 2003.
11. The Cochrane Library [CD-ROM] [computer program]. Oxford: Update Software; 2003.
12. Abd al-Hady MR, Shehata O, el-Mously M, Sallam FS. Audiological findings following head trauma. *J Laryngol Otol* 1990; 104: 927–936.
13. Abenhaim L, Suissa S. Importance and economic burden of occupational back pain: a study of 2,500 cases representative of Quebec. *J Occup Med* 1987; 29: 670–674.
14. Abu-Judeh HH, Parker R, Singh M, el Zeftawy H, Atay S, Kumar M, et al. SPET brain perfusion imaging in mild traumatic brain injury without loss of consciousness and normal computed tomography. *Nucl Med Commun* 1999; 20: 505–510.
15. Adams J, Frumiento C, Shatney-Leach L, Vane DW. Mandatory admission after isolated mild closed head injury in children: is it necessary? *J Pediatr Surg* 2001; 36: 119–121.
16. Al-Salamah M, McDowell I, Stiell IG, Wells GA, Nesbitt L. Multicenter comparison of GCS and RTS scores at the scene vs at the trauma hospital [abstract]. *Acad Emerg Med* 2003; 10: 476.
17. Albright JP, McAuley E, Martin RK, Crowley ET, Foster DT. Head