

## STRUCTURED CONTENTS

## STROKE

- Vries, S. de, & Mulder, T.: Motor imagery and stroke rehabilitation: a critical discussion, 5
- Bohannon, R.W.: Muscle strength and muscle training after stroke, 14
- Putman, K., Wit, L. de, Schupp, W., Beyens, H., Dejaeger, E., Weerdt, W. de, Feys, H., Jenni, W., Louckx, F. & Leys, M.: Inpatient stroke rehabilitation: a comparative study of admission criteria to stroke rehabilitation units in four European centres, 21
- Björkdahl, A., Lundgren Nilsson, Å. & Stibrant Sunnerhagen, K.: Can rehabilitation in the home setting reduce the burden of care for the next-of-kin of stroke victims?, 27
- Kuijk, A.A. van, Hendricks, H.T., Pasman, J.W., Kremer, B.H. & Geurts, A.C.: Are clinical characteristics associated with upper-extremity hypertonia in severe ischaemic supratentorial stroke?, 33
- Kuijk, A.A. van, Hendricks, H.T., Pasman, J.W., Kremer, B.H. & Geurts, A.C.: Are neuroradiological or neurophysiological characteristics associated with upper-extremity hypertonia in severe ischaemia in supratentorial stroke?, 38
- Bernhardt, J., Chan, J., Nicola, I. & Collier, J.M.: Little therapy, little physical activity: Rehabilitation within the first 14 days of organized stroke unit care, 43
- Yang, A.-L., Lee, S.-D., Su, C.-T., Wang, J.-L. & Lin, K.-L.: Effects of exercise intervention on patients with stroke with prior coronary artery disease: aerobic capacity, functional ability, and lipid profile: a pilot study, 88
- Kalra, L. & Langhorne, P.: Facilitating recovery: Evidence for organized stroke care, 97
- Langhorne, P. & Widén Holmqvist, L.: Early supported discharge after stroke, 103
- Acerra, N.E., Souvlis, T. & Moseley, G.L.: Stroke, complex regional pain syndrome and phantom limb pain: Can commonalities direct future management?, 109
- Pizzi, A., Carlucci, G., Falsini, C., Lunghi, F., Verdesca, S. & Grippo, A.: Gait in hemiplegia: evaluation of clinical features with the Wisconsin gait scale, 170
- Uruma, G., Hashimoto, K., Onouchi, K., Nishio, Y., Kurita, A. & Inoue, K.: A new procedure for communication with a patient with minimal motor function and fatigability, 185
- Walker, M.F.: Stroke Rehabilitation: Evidence based or evidence-tinged?, 193
- Hsieh, R.-L., Wang, L.-Y. & Lee, W.-C.: Additional therapeutic effects of electroacupuncture in conjunction with conventional rehabilitation for patients with first-ever ischaemic stroke, 205
- Burridge, J.H., Haugland, M., Larsen, B., Pickering, R.M., Svaneborg, N., Iversen, H.K., Christensen, P.B., Haase, J., Brennum, J. & Sinkjaer, T.: Phase II trial to evaluate the ActiGait implanted drop-foot stimulator in established hemiplegia, 212
- Carlsson, G.E., Forsberg-Wärleby, G., Möller, A. & Blomstrand, C.: Comparison of life satisfaction within couples one year after a partner's stroke, 219
- Nilsson, M. & Pekny, M.: Enriched environment and astrocytes in central nervous system regeneration, 345
- Laska, A.C., Bartfai, A., Hellblom, A., Murray, V. & Kahan, T.: Clinical and prognostic properties of standardized and functional aphasia assessments, 387
- Laffont, I., Dumas, C., Pozzi, D., Ruquet, M., Tissier, A.C., Lofaso, F. & Dzien, O.: Home trials of a speech synthesizer in severe dysarthria: Patterns of use, satisfaction and utility of word prediction, 399
- Geusgens, C.A.V., Winkens, I., Heugten, C.M. van, Jolles, J. & Heuvel, W.J.A. van den: Occurrence and measurement of transfer in cognitive rehabilitation: A critical review, 425
- Marco, E., Duarte, E., Vila, J., Tejero, M., Guillen, A., Boza, R., Escalada, F. & Espadaler, J.M.: Is botulinum toxin type A effective in the treatment of spastic shoulder pain in patients after stroke? A double-blind randomized clinical trial, 440
- Elmgren Frykberg, G., Lindmark, B., Lanshammar, H. & Borg, J.: Correlation between clinical assessment and force plate measurement of postural control after stroke, 448
- Hsieh, Y.-W., Lin, J.-H., Wang, C.-H., Sheu, C.-F., Hsueh, I.-P. & Hsieh, C.-L.: Discriminative, predictive and evaluative properties of the simplified stroke rehabilitation assessment of movement instrument in patients with stroke, 454
- Kocaaga, Z., Bal, S. & Gurgan, A.: Hemiplegia and heterotopic ossification on the non-paretic extremity: A case report, 500
- Rochette, A., Korner-Bitensky, N. & Desrosiers, J.: Actual vs best practice for families post-stroke according to three rehabilitation disciplines, 513
- Thiel, A., Aleksic, B., Klein, J.Ch., Rudolf, J. & Heiss, W.-D.: Changes in proprioceptive systems activity during recovery from post-stroke hemiparesis, 520
- Park, G.-Y., Kim, J.-M., Sohn, S.-I., Shin, I.-H. & Lee, M.Y.: Ultrasonographic measurement of shoulder subluxation in patients with post-stroke hemiplegia, 526
- Höjgren, C., Esbjörnsson, E., Aniansson, H. & Stibrant Sunnerhagen, K.: Application and validation of the barrow neurological institute screen for higher cerebral functions in a control population and in patient groups commonly seen in neurorehabilitation, 547
- Fazekas, G., Horvath, M., Troznai, T. & Toth, A.: Robot-mediated upper limb physiotherapy for patients with spastic hemiparesis: A preliminary study, 580
- Hafsteinsdóttir, B.T., Kappelle, J., Grypdonck, H.F.M. & Algra, A.: Effects of Bobath-based therapy on depression, shoulder pain and health-related quality of life in patients after stroke, 627
- Becker, F. & Reinvang, I.: Event-related potentials indicate bi-hemispherical changes in speech sound processing during aphasia rehabilitation, 658
- Korner-Bitensky, N., Menon-Nair, A., Thomas, A., Boutin, E. & Arafah, A.M.: Practice Style Traits: Do they help explain practice behaviours of stroke rehabilitation professionals?, 685
- Tsai, K.-H., Yeh, C.-Y., Lo, H.-C. & Lin, S.-Y.: Controllability and physiological evaluation of 3 unilaterally-propelled wheelchairs for patients with hemiplegia, 693
- Akinwuntan, A.E., Devos, H., Feys, H., Verheyden, G., Baten, G., Kiekens, C. & Weerdt, W. de: Confirmation of the accuracy of a short battery to predict fitness-to-drive of stroke survivors without severe deficits, 698
- Port, I.G.L. van de, Visser-Meily, A.M.A., Post, M.W.M. & Lindeman, E.: Long-term outcome in children of patients after stroke, 703

## OTHER BRAIN INJURIES

- Manganotti, P., Zaina, F., Falso, M., Milanese, F. & Fiaschi, A.: Evaluation of botulinum toxin therapy of spastic equinus in paediatric patients with cerebral palsy, 115
- Dai, A.: Potentiation of botulinum toxin type A with oral anti-spasticity medications in the management of focal spasticity, 189
- Engelen, V., Ketelaar, M. & Gorter, J.W.: Selecting the appropriate outcome in paediatric physical therapy: How individual treatment goals for children with cerebral palsy are reflected in GMFM-88 and PEDI, 225
- Nilsson, M. & Pekny, M.: Enriched environment and astrocytes in central nervous system regeneration, 345
- Stålnacke, B.-M., Elgh, E. & Sojka, P.: One-year follow-up of mild traumatic brain injury: Cognition, disability and life satisfaction of patients seeking consultation, 405
- Hashimoto, K., Okumura, A., Shinoda, J., Abo, M. & Nakamura, T.: Tensor magnetic resonance imaging in a case of mild traumatic brain injury with lowered verbal intelligence quotient, 418

- Deltombe, T., Decq, P., Mertens, P. & Gustin, T.: Does fascicular neurotomy have long-lasting effects?, 421
- Collado, H., Bensoussan, L., Viton, J.-M., De Bovis Milhe, V. & Delarque, A.: Response to Letter to the editor by Deltombe et al., 422
- Geusgens, C.A.V., Winkens, I., Heugten, C.M. van, Jolles, J. & Heuvel, W.J.A. van den: Occurrence and measurement of transfer in cognitive rehabilitation: A critical review, 425
- Koskinen, S., Hokkinen, E.-M., Sarajuuri, J. & Alaranta, H.: Applicability of the ICF checklist to traumatically brain-injured patients in post-acute rehabilitation settings, 467
- Dehail, P., Petit, H., Joseph, P.-A., Vuadens, P. & Mazaux, J.-M.: Assessment of postural instability in patients with traumatic brain injury upon enrolment in a vocational adjustment programme, 531
- Hofgren, C., Esbjörnsson, E., Aniansson, H. & Stibrant Sunnerhagen, K.: Application and validation of the barrow neurological institute screen for higher cerebral functions in a control population and in patient groups commonly seen in neurorhabilitation, 547
- Meeteren, J. van, Rijn, M.R. van, Selles, W.R., Roebroek, E.M. & Stam, J.H.: Grip strength parameters and functional activities in young adults with unilateral cerebral palsy compared with healthy subjects, 598
- Hilberink, R.S., Roebroek, E.M., Nieuwstraten, W., Jalink, L., Verheijden, M.A.J. & Stam, J.H.: Health issues in young adults with cerebral palsy: Towards a life-span perspective, 605
- Heitger, H.M., Jones, D.R., Frampton, M.C., Ardagh, W.M. & Anderson, J.T.: Recovery in the first year after mild head injury: Divergence of symptom status and self-perceived quality of life, 612
- Arnould, C., Penta, M. & Thonnard, J.-L.: Hand impairments and their relationship with manual ability in children with cerebral palsy, 708
- Näslund, A., Sundelin, G. & Hirschfeld, H.: Reach performance and postural adjustments during standing in children with severe spastic diplegia using dynamic ankle-foot orthoses, 715

## SPINAL CORD INJURIES

- Lidal, I.B., Snekkevik, H., Aamodt, G., Hjeltnes, N., Biering-Sørensen, F. & Stanghelle, J.K.: Mortality after spinal cord injury in Norway, 145
- Dahlberg, A., Alaranta, H.T., Kautiainen, H. & Kotila, M.: Sexual activity and satisfaction in men with traumatic spinal cord lesion, 152
- Larsson Lund, M., Fisher, A.G., Lexell, J. & Bernspång, B.: Impact on participation and autonomy questionnaire: internal scale validity of the Swedish version for use in people with spinal cord injury, 156
- Haisma, J.A., Woude, L.H. van der, Stam, H.J., Bergen, M.P., Sluis, T.A., Post, M.W. & Bussmann, J.B.: Complications following spinal cord injury: Occurrence and risk factors in a longitudinal study during and after inpatient rehabilitation, 393
- Musselman, E.K. & Yang, J.F.: Walking tasks encountered by urban-dwelling adults and persons with incomplete spinal cord injuries, 567
- Tolonen, A., Turkkka, J., Salonen, O., Ahoniemi, E. & Alaranta, H.: Traumatic brain injury is under-diagnosed in patients with spinal cord injury, 622

## NEUROMUSCULAR DISEASES

- Stolwijk-Swüste, J.M., Beelen, A., Lankhorst, G. & Nollet, F.: Impact of age and co-morbidity on the functioning of patients with sequelae of poliomyelitis: a cross-sectional study, 56
- Bussmann, J.B.J., Garssen, M.P., Doorn, P.A. van, & Stam, H.J.: Analysing the favourable effects of physical exercise: relationships between physical fitness, fatigue and functioning in Guillain-Barré syndrome and chronic inflammatory demyelinating polyneuropathy, 121
- Dallmeijer, A.J., Groot, V. de, Roorda, L.D., Schepers, V.P.M., Lindeman, E., Berg, L.H. van den, Beelen, A. & Dekker, J.: Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: A study using rasch analysis, 163
- Willén, C., Thorén-Jönsson, A.-L., Grimby, G. & Stibrant Sunnerhagen, K.: Disability in a 4-year follow-up study of people with post-polio syndrome, 175

- Luc, M., Bensoussan, L., Viton, J.-M., Bovis, V.M. de, Collado, H., Pouget, J. & Delarque, A.: Gait recovery in a distal spinal muscular atrophy patient wearing a patellar tendon-bearing orthosis and orthopaedic shoes, 181
- Nordby, P.A., Staalesen Strumse, Y.A., Frøslie, K.F. & Stanghelle, K.J.: Patients with neuromuscular diseases benefit from treatment in a warm climate, 554
- Gagnon, C., Mathieu, J. & Noreau, L.: Life habits in myotonic dystrophy type 1, 560
- Hachisuka, K., Makino, K., Wada, F., Saeki, S. & Yoshimoto, N.: Oxygen consumption, oxygen cost and physiological cost index in polio survivors: A comparison of walking without orthosis, with an ordinary or a carbon-fibre reinforced plastic knee-ankle-foot orthosis, 646
- Brehm, M.-A., Beelen, A., Doorenbosch, A.M.C., Harlaar, J. & Nollet, F.: Effect of carbon-composite knee-ankle-foot orthoses on walking efficiency and gait in former polio patients, 651

## PAIN PROBLEMS AND MUSCULOSKELETAL DISORDERS

- Fink, M., Kalpakcioglu, B., Karst, M. & Bernateck, M.: Efficacy of a flexible orthotic device in patients with osteoporosis on pain and activity of daily living, 77
- Magnussen, L., Strand, L.I., Skouen, J.S. & Eriksen, H.R.: Motivating disability pensioners with back pain to return to work – a randomized controlled trial, 81
- Ylinen, J., Wirén, K. & Häkkinen, A.: Stretching exercises vs manual therapy in treatment of chronic neck pain: a randomized, controlled cross-over trial, 126
- Hodselmans, A.P., Dijkstra, P.U., Schans, C. van der, & Geertzen, J.H.B.: Test-retest reliability of psychophysical lift capacity in patients with non-specific chronic low back pain and healthy subjects, 133
- Franchignoni, F., Giordano, A., Ferriero, G., Orlandini, D., Amoresano, A. & Perucca, L.: Measuring mobility in people with lower limb amputation: Rasch analysis of the mobility section of the prosthesis evaluation questionnaire, 138
- Stenvall, M., Olofsson, B., Nyberg, L., Lundström, M. & Gustafson, Y.: Improved performance in activities of daily living and mobility after a multidisciplinary postoperative rehabilitation in older people with femoral neck fracture: A randomized controlled trial with 1-year follow-up, 232
- Vikne, J., Oedegaard, A., Lærum, E., Ihlebaek, C. & Kirkesola, G.: A randomized study of new sling exercise treatment vs traditional physiotherapy for patients with chronic whiplash-associated disorders with unsettled compensation claims, 252
- Peolsson, M., Börsbo, B. & Gerdle, B.: Generalized pain is associated with more negative consequences than local or regional pain: A study of chronic whiplash-associated disorders, 260
- Mullis, R., Barber, J., Lewis, M. & Hay, E.: ICF core sets for low back pain: Do they include what matters to patients?, 353
- Kose, G., Heggeler, S., Atamaz, F. & Oder, G.: A comparison of four disability scales for Turkish patients with neck pain, 358
- Nykänen, M., Ylinen, J. & Häkkinen, A.: Do cervical degenerative changes in women with chronic neck pain affect function?, 363
- Ga, H., Koh, H.-J., Choi, J.-H. & Kim, C.-H.: Intramuscular and nerve root stimulation vs lidocaine injection to trigger points in myofascial pain syndrome, 374
- Buffart, L.M., Roebroek, M.E., Heijningen, V.G. van, Pesch-Batenburg, J.M. & Stam, H.J.: Evaluation of arm and prosthetic functioning in children with a congenital transverse reduction deficiency of the upper limb, 379
- Sandborgh, M., Lindberg, P. & Denison, E.: Pain belief screening instrument: Development and preliminary validation of a screening instrument for disabling persistent pain, 461
- Thomeé, P., Währborg, P., Börjesson, M., Thomeé, R., Eriksson, B.I. & Karlsson, J.: Determinants of self-efficacy in the rehabilitation of patients with anterior cruciate ligament injury, 486
- Halbert, J., Crotty, M., Whitehead, C., Cameron, I., Kurrle, S., Graham,

- S., Handoll, H., Finnegan, T., Jones, T., Foley, A. & Shanahan, Q.:* Multi-disciplinary rehabilitation after hip fracture is associated with improved outcome: A systematic review, 507
- Häkkinen, A., Salo, P., Tarvainen, U., Wirén, K. & Ylinen, J.:* Effect of manual therapy and stretching on neck muscle strength and mobility in chronic neck pain, 575
- Benjaminsson, O., Biguet, G., Arvidsson, I. & Nilsson-Wikmar, L.:* Recurrent low back pain: Relapse from a patient perspective, 640
- Damsgård, E., Fors, T., Anke, A. & Røe, C.:* The Tampa Scale of Kinesiophobia: A Rasch analysis of its properties in subjects with low back and more widespread pain, 672

#### HEART, LUNG, KIDNEY AND LIVER DISEASES

- Grace, S.L., Scholey, P., Suskin, N., Arthur, H.M., Brooks, D., Jaglal, S., Abramson, B.L. & Stewart, D.E.:* A prospective comparison of cardiac rehabilitation enrollment following automatic vs usual referral, 239
- Jeger, R.V., Jörg, L., Rickenbacher, P., Pfisterer, M.E. & Hoffmann, A.:* Benefit of outpatient cardiac rehabilitation in under-represented patient subgroups, 246
- Söderman, E., Lisspers, J. & Sundin, Ö.:* Impact of depressive mood on lifestyle changes in patients with coronary artery disease, 412
- Arthur, H.M., Gunn, E., Thorpe, K.E., Ginis, K.M., Mataseje, L., McCartney, N. & McKelvie, R.S.:* Effect of aerobic vs combined aerobic-strength training on 1-year, post-cardiac rehabilitation outcomes in women after a cardiac event, 730

#### METHODOLOGICAL STUDIES

- Khan, F. & Pallant, J.F.:* Use of international classification of functioning, disability and health (ICF) to describe patient-reported disability in multiple sclerosis and identification of relevant environmental factors, 63
- Grill, E., Mansmann, U., Cieza, A. & Stucki, G.:* Assessing observer agreement when describing and classifying functioning with the International Classification of Functioning, Disability and Health, 71
- Matjacic, Z.:* Apparatus for dynamic balance training during treadmill walking, 91
- Hodselmans, A.P., Dijkstra, P.U., Schans, C. van der, & Geertzen, J.H.B.:* Test-retest reliability of psychophysical lift capacity in patients with non-specific chronic low back pain and healthy subjects, 133
- Dallmeijer, A.J., Groot, V. de, Roorda, L.D., Schepers, V.P.M., Lindeman, E., Berg, L.H. van den, Beelen, A. & Dekker, J.:* Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: A study using rasch analysis, 163
- Pizzi, A., Carlucci, G., Falsini, C., Lunghi, F., Verdesca, S. & Grippo, A.:* Gait in hemiplegia: evaluation of clinical features with the Wisconsin gait scale, 170
- Mullis, R., Barber, J., Lewis, M. & Hay, E.:* ICF core sets for low back pain: Do they include what matters to patients?, 353
- Kose, G., Hepguler, S., Atamaz, F. & Oder, G.:* A comparison of four disability scales for Turkish patients with neck pain, 358
- Farin, E., Fleitz, A. & Frey, C.:* Psychometric properties of an International Classification of Functioning, Disability and Health (ICF)-oriented, adaptive questionnaire for the assessment of mobility, self-care and domestic life, 537
- Jette, M.A., Tao, W., Norweg, A. & Haley, S.:* Interpreting rehabilitation outcome measurements, 585
- Meyer, T., Deck, R. & Raspe, H.:* Problems completing questionnaires on health status in medical rehabilitation patients, 633
- Lu, T.-W., Hsu, H.-C., Chang, L.-Y. & Chen, H.-L.:* Enhancing the examiner's resisting force improves the reliability of manual muscle strength measurements: Comparison of a new device with hand-held dynamometry, 679

#### OTHER

- Grimby G., Ekholm J. & Gerdle B.:* Obituary: Professor Olle Höök 1918–2006, 1
- Grimby G.:* Activities of Journal of Rehabilitation Medicine in 2006 and 2007, 3
- Dyster-Aas, J., Kildal, M. & Willebrand, M.:* Return to work and health-related quality of life after burn injury, 49
- Gutenbrunner C.:* White Book on physical and rehabilitation medicine in Europe, Suppl. 45
- Suoyrjö, H., Hinkka, K., Kivimäki, M., Klaukka, T., Pentti, J. & Vahtera, J.:* Allocation of rehabilitation measures provided by the Social Insurance Institution in Finland: A register linkage study, 198
- Grimby G., Melvin J. & Stucki G.:* Foreword, 277
- Stucki G., Cieza A. & Melvin J.:* The International Classification of Functioning, Disability and Health: A unifying model for the conceptual description of the rehabilitation strategy, 279
- Stucki G. & Melvin J.:* The International Classification of Functioning, Disability and Health: A unifying model for the conceptual description of physical and rehabilitation medicine, 286
- Stucki G. & Grimby G.:* Organizing human functioning and rehabilitation research into distinct scientific fields. Part I: Developing a comprehensive structure from the cell to society, 293
- Stucki G., Reinhardt J.D. & Grimby G.:* Organizing human functioning and rehabilitation research into distinct scientific fields. Part II: Conceptual descriptions and domains for research, 299
- Reinhardt J.D., Hofer P., Arenz S. & Stucki G.:* Organizing human functioning and rehabilitation research into distinct scientific fields. Part III: Scientific journals, 308
- Stucki G.:* Developing human functioning and rehabilitation research. Part I: Academic training programs, 323
- Stucki G. & Celio M.:* Developing human functioning and rehabilitation research. Part II: Interdisciplinary university centers and national and regional collaboration networks, 334
- Heiden, M., Lyskov, E., Nakata, M., Sahlin, K., Sahlin, T. & Barnekow-Bergkvist, M.:* Evaluation of a cognitive behavioural training and physical activity for patients with stress-related illnesses: A randomized controlled study, 366
- Hinkka, K., Karppi, S.-L., Pohjolainen, T., Rantanen, T., Puukka, P. & Tilvis, R.:* Network-based geriatric rehabilitation for frail elderly people: Feasibility and effects on subjective health and pain at one year, 473
- Inokuchi, S., Matsusaka, N., Hayashi, T. & Shindo, H.:* Feasibility and effectiveness of a nurse-led community exercise programme for prevention of falls among frail elderly people: A multi-centre controlled trial, 479
- Braathen, T.N., Veiersted, K.B. & Heggnes, J.:* Improved work ability and return to work following vocational multidisciplinary rehabilitation of subjects on long-term sick leave, 493
- Grimby, G. and the members of the Editorial Committee:* Mission and Vision of the Journal of Rehabilitation Medicine, 505
- Grill, E., Joisten, S., Swoboda, W. & Stucki, G.:* Early-stage impairments and limitations of functioning from the geriatric ICF core set as determinants of independent living in older patients after discharge from post-acute rehabilitation, 591
- Tesio, L. & Franchignoni, F.:* Don't touch the physical in "physical and rehabilitation medicine", 662
- Stucki, G., Reinhardt, J.D., Grimby, G. & Melvin, J.:* Developing "Human Functioning and Rehabilitation Research" from the comprehensive perspective, 665
- Tal-Akabi, A., Steiger, U. & Villiger, P.M.:* Neuromuscular adaptation to early post-operative, high-intensity, short resistance training of non-operated lower extremity in elderly patients: A randomized controlled trial, 724
- DeLisa J.:* Commentary on the special issue by Grimby, Melvin and Stucki, 2007, 736